

REVO BASIC XL



Le Revo Basic XL est un luminaire d'extérieur de 40 watts, compact mais puissant, qui convient parfaitement à une grande variété d'applications. Il est découpé par CNC dans de l'aluminium massif et classé IP67 pour une protection contre les éléments. Avec plus de 800 configurations possibles, le Revo Basic XL peut être personnalisé pour répondre à vos besoins spécifiques. Grâce aux optiques interchangeables et aux capacités de gradation configurables, vous pouvez toujours obtenir le réglage de lumière idéal dont vous avez besoin.

Catégories : [Revo XL Series](#), [Extérieur](#), [Projecteurs](#)

> Specifications

Type	Revo Basic XL, IP67 outdoor surface mounted fixture
Colour	Blank or Black
Material	CNC machined aluminium
Weight	3600 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C
Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
Light output	3200 lumen
CRI	>80
LED colours	2200K 2400K 2700K 3000K 4000K 5000K 6500K amber blue red green
Power consumption	Max. 40 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	Mains dimmable Magno dim DALI
Connection	Cable with open end
Cable length	200 cm
IP rating	IP 67
Protection class	3
Certifications	CE

Lifetime	50.000 hours
Warranty	3 years
Accessories	Snoot, ground pin, extension pipe
Remarks	Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable



