

REVO XL COLOURFLOW DMX



De Revo XL ColourFlow DMX is een unieke, configureerbaar LED-verlichtingsarmatuur die ontwerpers nieuwe mogelijkheden biedt om verbluffende effecten te creëren. Dit armatuur heeft twee configureerbare secties, waardoor aan elke kant verschillende lichtkleuren en -bundels mogelijk zijn. De duurzame CNC-gefreesde behuizing van aluminium is IP67-geclassificeerd voor gebruik buitenshuis en is voorzien van een Gore-Tex-membraan om condensatie te voorkomen. De lenzen zijn snel en eenvoudig te verwisselen en de 5-aderige DMX-combikabel maakt installatie snel en eenvoudig.

Categorieën: [Revo XL Series](#), [Buitenverlichting](#), [Opbouw](#), [ColourFlow](#)

> Specifications

Type	Revo XL ColourFlow DMX, IP67 configurable outdoor surface mounted fixture
Colour	Black or blank
Material	CNC machined aluminium
Weight	3600 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C

Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
LED colours	RGB-W 3000K RGB-W 4000K RGB-A AWB 1800K-3000K 1800K-4000K 2700K-5000K

Power consumption	Max. 40 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	casambi dmx wireless
Connection	Cable with open end
Cable length	200 cm

IP rating	IP 67
Protection class	3
Certifications	CE

Lifetime	50.000 hours
LB Value	L90B10 at 50.000h
Warranty	3 years
Technologies	Dynamic Power Control Dynamic Temperature Control
Accessories	Snoot, ground pin, extension pipe
Remarks	Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable



