

REVO BASIC XXL



De Revo Basic XXL is een buitenverlichtingsarmatuur die meer dan 800 verschillende configuraties biedt. Hij is gemaakt van CNC-gefreest, massief aluminium en heeft een IP67-classificatie voor optimale bescherming tegen weersinvloeden. De beugelconstructie biedt mogelijkheden voor een perfecte afstelling en uitlijning. Het Gore-Tex membraan minimaliseert het risico van condensatie.

Categorieën: [Revo XXL Series](#), [Buitenverlichting](#), [Opbouw](#)

> Specifications

Type	Revo Basic XXL, Outdoor surface mounted fixture
Colour	Blank or Black
Material	Anodized aluminium
Weight	5750 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C

Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
Light output	6500 lumen
CRI	> 80
LED colours	2200K 2400K 2700K 3000K 4000K 5000K 6500K amber blue red green limegreen

Power consumption	Max. 80 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	mains magno dali
Connection	Cable with open end
Cable length	200 cm

IP rating	IP 67
Protection class	3
Certifications	CE

Lifetime	50.000 hours
LB Value	L90B10 at 50.000h
Warranty	3 years

Accessories	Snoot
Remarks	Gore-Tex membrane to avoid condensation.



