

## REVO XL COLOURFLOW DMX



The Revo XL ColourFlow DMX is a unique, configurable LED lighting fixture that offers designers new possibilities for creating stunning visuals. This two-section fixture can be controlled separately, allowing for different light colours and beam angles on each side. The durable CNC-cut aluminium housing is IP67 rated for outdoor use, and features a ventilation gland with Gore-Tex membrane to prevent condensation. The interchangeable optics lenses are fast and easy to change, and the 5 core DMX combi cable makes installation a breeze.

**Categories:** [Revo XL Series](#), [Outdoor](#), [Surface mounted](#), [ColourFlow](#)

### > Specifications

Type	Revo XL ColourFlow DMX, IP67 configurable outdoor surface mounted fixture
Colour	Blank or black
Material	CNC machined aluminium
Weight	3600 gram
Swivel	360° horizontal   270° vertical
Ambient temperature	-10°C to 40°C

Optics	8°   12°   30°   60°   80°   12x46°
Light source	High Power LED
CRI	>80
LED colours	RGB-W 3000K   RGB-W 4000K   RGB-A   AWB 1800K-3000K   1800K-4000K   2700K-5000K

Power consumption	Max. 40 Watt
Power supply	100~240 VAC
Driver	Driver included   Driver internal
Dimming	Casambi   DMX512   Wireless DMX
Connection	Cable with open end
Cable length	200 cm

IP rating	IP 67
Protection class	3
Certifications	CE



Lifetime	50.000 hours
LB Value	L90B10 at 50.000h
Warranty	3 years
Technologies	Dynamic Power Control   Dynamic Temperature Control
Accessories	Shoot, ground pin, extension pipe
Remarks	Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable





