

REVO BASIC XL



The Revo Basic XL is a compact, yet powerful, 40 watt outdoor lighting fixture that is perfect for a wide variety of applications. CNC cut from massive aluminium and IP67 rated for protection against the elements. With more than 800 possible configurations, the Revo Basic XL can be tailored to meet your specific needs. And with interchangeable optics and the configurable dimming capabilities, you can always get the perfect light setting for the job.

Categories: [Revo XL Series](#), [Outdoor](#), [Surface mounted](#)

> Specifications

Type	Revo Basic XL, IP67 outdoor surface mounted fixture
Colour	Blank or Black
Material	CNC machined aluminium
Weight	3600 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C
Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
Light output	3200 lumen
CRI	>80
LED colours	2200K 2400K 2700K 3000K 4000K 5000K 6500K amber blue red green limegreen
Power consumption	Max. 40 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	Mains dim Magno dim DALI
Connection	Cable with open end
Cable length	200 cm
IP rating	IP 67
Protection class	3
Certifications	CE

Lifetime 50.000 hours
LB Value L90B10 at 50.000h
Warranty 3 years

Accessories Snoot, ground pin, extension pipe
Remarks Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable



