

## REVO BASIC XXL



The Revo Basic XXL is an outdoor lighting fixture that offers more than 800 different configurations. It is made from CNC cut, massive aluminium and features an IP67 rating. The bracket construction offers perfect adjustment and alignment, while the ventilation gland with Gore-Tex membrane minimizes the risk of condensation.

**Categories:** [Revo XXL Series](#), [Outdoor](#), [Surface mounted](#)

### > Specifications

Type	Revo Basic XXL, Outdoor surface mounted fixture
Colour	Blank or Black
Material	Anodized aluminium
Weight	5750 gram
Swivel	360° horizontal   270° vertical
Ambient temperature	-10°C to 40°C

Optics	8°   12°   30°   60°   80°   12x46°
Light source	High Power LED
Light output	6500 lumen
CRI	> 80
LED colours	2200K   2400K   2700K   3000K   4000K   5000K   6500K   amber   blue   red   green   limegreen

Power consumption	Max. 80 Watt
Power supply	100~240 VAC
Driver	Driver included   Driver internal
Dimming	mains   magno   dali
Connection	Cable with open end
Cable length	200 cm

IP rating	IP 67
Protection class	3
Certifications	CE

Lifetime	50.000 hours
LB Value	L90B10 at 50.000h
Warranty	3 years

---

Accessories	Snoot
Remarks	Gore-Tex membrane to avoid condensation.





