

REVO BASIC XXL



The Revo Basic XXL is an outdoor lighting fixture that offers more than 800 different configurations. It is made from CNC cut, massive aluminium and features an IP67 rating. The bracket construction offers perfect adjustment and alignment, while the ventilation gland with Gore-Tex membrane minimizes the risk of condensation.

Categories: [Revo XXL Series](#), [Outdoor](#), [Surface mounted](#)

> Specifications

Type	Revo Basic XXL, Outdoor surface mounted fixture
Colour	Blank or Black
Material	Anodized aluminium
Weight	5750 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C
Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
Light output	6500 lumen
CRI	> 80
LED colours	2200K 2400K 2700K 3000K 4000K 5000K 6500K amber blue red green limegreen
Power consumption	Max. 80 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	Mains dimmable Magno dim DALI
Connection	Cable with open end
Cable length	200 cm
IP rating	IP 67
Protection class	3
Certifications	CE



Lifetime	50.000 hours
LB Value	L90B10 at 50.000h
Warranty	3 years
<hr/>	
Accessories	Snoot
Remarks	Gore-Tex membrane to avoid condensation.



