

REVO BASIC XXL



The Revo Basic XXL is an outdoor lighting fixture that offers more than 800 different configurations. It is made from CNC cut, massive aluminium and features an IP67 rating. The bracket construction offers perfect adjustment and alignment, while the ventilation gland with Gore-Tex membrane minimizes the risk of condensation.

Categories: [Revo XXL Series](#), [Outdoor](#), [Surface mounted](#)

> Specifications

Type	Revo Basic XXL, Outdoor surface mounted fixture
Colour	Blank or Black
Material	Anodized aluminium
Weight	5750 gram
Swivel	360° horizontal   270° vertical
Ambient temperature	-10°C to 40°C
Optics	8°   12°   30°   60°   80°   12x46°
Light source	High Power LED
Light output	6500 lumen
CRI	> 80
LED colours	2200K   2400K   2700K   3000K   4000K   5000K   6500K   amber   blue   red   green
Power consumption	Max. 80 Watt
Power supply	100~240 VAC
Driver	Driver included   Driver internal
Dimming	Mains dimmable   Magno dim   DALI
Connection	Cable with open end
Cable length	200 cm
IP rating	IP 67
Protection class	3
Certifications	CE



Lifetime Warranty	50.000 hours 3 years
Accessories Remarks	Snoot Gore-Tex membrane to avoid condensation.





