

REVO XL DMX



The Revo XL DMX is a unique, configurable LED lighting fixture that offers designers new possibilities for creating stunning visuals. This two-section fixture can be controlled separately, allowing for different light colours and beam angles on each side. The durable CNC-cut aluminium housing is IP67 rated for outdoor use, and features a ventilation gland with Gore-Tex membrane to prevent condensation.

Categories: [Revo XL Series](#), [Outdoor](#), [Surface mounted](#)

> Specifications

Type	Revo XL DMX, IP67 configurable outdoor surface mounted fixture
Colour	Blank or black
Material	CNC machined aluminium
Weight	3600 gram
Swivel	360° horizontal 270° vertical
Ambient temperature	-10°C to 40°C
<hr/>	
Optics	8° 12° 30° 60° 80° 12x46°
Light source	High Power LED
CRI	>80
LED colours	2200K 2400K 2700K 3000K 4000K 5000K 6500K amber blue red green limegreen
<hr/>	
Power consumption	Max. 40 Watt
Power supply	100~240 VAC
Driver	Driver included Driver internal
Dimming	Casambi DMX512 Wireless DMX
Connection	Cable with open end
Cable length	200 cm
<hr/>	
IP rating	IP 67
Protection class	3
Certifications	CE
<hr/>	
Lifetime	50.000 hours



LB Value	L90B10 at 50.000h
Warranty	3 years
<hr/>	
Technologies	Dynamic Power Control Dynamic Temperature Control
Accessories	Snoot, ground pin, extension pipe
Remarks	Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable



