Product: Revo XL DMX Generated: October 23, 2025



## **REVO XL DMX**



The Revo XL DMX is a unique, configurable LED lighting fixture that offers designers new possibilities for creating stunning visuals. This two-section fixture can be controlled separately, allowing for different light colours and beam angles on each side. The durable CNC-cut aluminium housing is IP67 rated for outdoor use, and features a ventilation gland with Gore-Tex membrane to prevent condensation.

Categories: Revo XL Series, Outdoor, Surface mounted

## > Specifications

Type Revo XL DMX, IP67 configurable outdoor surface mounted fixture

Colour Blank or black

Material CNC machined aluminium

Weight 3600 gram

Swivel 360° horizontal | 270° vertical

Ambient temperature -10°C to 40°C

Optics 8° | 12° | 30° | 60° | 80° | 12x46°

Light source High Power LED

CRI >80

LED colours 2200K | 2400K | 2700K | 3000K | 4000K | 5000K | 6500K | amber | blue | red | green | limegreen

Power consumption Max. 40 Watt Power supply 100~240 VAC


Driver Driver included | Driver internal
Dimming Casambi | DMX512 | Wireless DMX

Connection Cable with open end

Cable length 200 cm

IP ratingIP 67Protection class3CertificationsCE

Lifetime 50.000 hours





LB Value L90B10 at 50.000h

Warranty 3 years

Technologies Dynamic Power Control | Dynamic Temperature Control

Accessories Snoot, ground pin, extension pipe

Remarks Ventilation gland with Gore-Tex membrane to avoid condensation. Fitted with a 5 core DMX combi cable

